# Tire Science and Technology
# Index to Volume 18
# 1990

| Number | Months | Pages |
|---|---|---|
| 1 | Jan.–Mar. | 1– 66 |
| 2 | Apr.–Jun. | 67–134 |
| 3 | Jul.–Sep. | 135–214 |
| 4 | Oct.–Dec. | 215–300 |


A

Abrasion
A laboratory facility for the study of rubber traction and wear resistance (Bandel and Di Bernardo), Jul.–Sep., 201
Acoustic excitation
Effects of tire cavity resonance on vehicle road noise (Sakata, Morimura, and Ide), Apr.–Jun., 68
Aircraft tire
Viscoelastic properties of aircraft tire materials (Tielking, Hanson, and Giacomin), Oct.–Dec., 262
Akasaka, T., Katoh, M., Nihei, S., and Hiraiwa, M.: Two-dimensional contact pressure distribution of a radial tire, Apr.–Jun., 80
Assaad, M. C.: Elastic-quasi-dynamic solution of the Mallory tube test, Apr.–Jun., 116

B

Bandel, P. and Di Bernardo C.: A laboratory facility for the study of rubber traction and wear resistance, Jul.–Sep., 201
Belt edge
Towards predicting relative belt edge endurance with the finite element method (De Eskinazi, Ishihara, Volk, Warholic), Oct.–Dec., 216
Braking stiffness
Some consequences of coulomb friction in modeling longitudinal traction (Klingbeil and Witt), Jan.–Mar., 13

C

Carcass material
Viscoelastic properties of aircraft tire materials (Tielking, Hanson, and Giacomin), Oct.–Dec., 262
Clark, S. K. and Dodge, R. N.: Nonlinear cord-rubber composites, Jul.–Sep., 191
Composite belt structure
Two-dimensional contact pressure distribution of a radial tire (Akasaka, Katoh, Nihei, and Hiraiwa), Apr.–Jun., 80
Conicity
Tire/vehicle pull: an introduction emphasizing ply steer effects (Pottinger), Jul.–Sep., 170
Contact pressure
A fundamental study on sliding friction (Purushothaman and Tielking), Apr.–Jun., 104
Two-dimensional contact pressure distribution of a radial tire

(Akasaka, Katoh, Nihei, and Hiraiwa), Apr.–Jun., 80
Contact problem
Some consequences of coulomb friction in modeling longitudinal traction (Klingbeil and Witt), Jan.–Mar., 13
Cord-rubber composites
Nonlinear cord-rubber composites (Clark and Dodge), Jul.–Sep., 191
Study of the quasi-yield phenomenon in cord-reinforced rubber under off-axis tension (Du, Qu, and Gu), Oct.–Dec., 282
Cornering force
Effect of material properties on tire performance characteristics —Part II, tread material (Futamura), Jan.–Mar., 2
Cornering properties
Study on cornering properties of tire and vehicle (Sakai), Jul.–Sep., 136

D

De Eskinazi, J., Ishihara, K., Volk, H., and Warholic, T. C.: Towards predicting relative belt edge endurance with the finite element method, Oct.–Dec., 216
Di Bernardo, C.: *see* Bandel, P. and Di Bernardo C.
Dodge R. N.: *see* Clark, S. K. and Dodge, R. N.
Du, X., Qu, W., and Gu, Z.: Study of the quasi-yield phenomenon in cord-reinforced rubber under off-axis tension, Oct.–Dec., 282
Durability
A study on the contour of the truck and bus radial tire (Ogawa, Furuya, Koseki, Iida, Sato, and Yamagishi), Oct.–Dec., 236
Dynamic testing
Viscoelastic properties of aircraft tire materials (Tielking, Hanson, and Giacomin), Oct.–Dec., 262

E

Endurance
Towards predicting relative belt edge endurance with the finite element method (De Eskinazi, Ishihara, Volk, Warholic), Oct.–Dec., 216

F

Fatigue
Elastic-quasi-dynamic solution of the Mallory tube test (Assaad), Apr.–Jun., 116
Fibers
Elastic-quasi-dynamic solution of the Mallory tube test (Assaad), Apr.–Jun., 116
Finite element model
Effects of tire cavity resonance on vehicle road noise (Sakata, Morimura, and Ide), Apr.–Jun., 68
Towards predicting relative belt edge endurance with the finite element method (De Eskinazi, Ishihara, Volk, Warholic), Oct.–Dec., 216
Four-wheel-drive vehicle
Study on cornering properties of tire and vehicle (Sakai), Jul.–Sep., 136

Friction
A laboratory facility for the study of rubber traction and wear resistance (Bandel and Di Bernardo), Jul.–Sep., 201
Some consequences of coulomb friction in modeling longitudinal traction (Klingbeil and Witt), Jan.–Mar., 13
Friction tester
A fundamental study on sliding friction (Purushothaman and Tielking), Apr.–Jun., 104
Front-wheel-drive vehicle
Study on cornering properties of tire and vehicle (Sakai), Jul.–Sep., 136
Furuya, S.: *see* Ogawa, H., Furuya, S., Koseki, H., Iida, H., Sato, K., and Yamagishi, K.
Futamura, S.: Effect of material properties on tire performance characteristics—Part II, tread material, Jan.–Mar., 2

G

Giacomin, A. J.: *see* Tielking, J. T., Hanson, R. R., and Giacomin, A. J.
Gu, Z.: *see* Du, X., Qu, W., and Gu, Z.

H

Hanson, R. R.: *see* Tielking, J. T., Hanson, R. R., and Giacomin, A. J.
Hiraiwa, M.: *see* Akasaka, T., Katoh, M., Nihei, S., and Hiraiwa, M.

I

Ide, H.: *see* Sakata, T., Morimura, H., and Ide, H.
Iida, H.: *see* Ogawa, H., Furuya, S., Koseki, H., Iida, H., Sato, K., and Yamagishi, K.
Interfacial forces
Some consequences of coulomb friction in modeling longitudinal traction (Klingbeil and Witt), Jan.–Mar., 13
Ishihara K.: *see* De Eskinazi, J., Ishihara, K., Volk, H., and Warholic, T. C.

K

Katoh, M.: *see* Akasaka, T., Katoh, M., Nihei, S., and Hiraiwa, M.
Klingbeil, W. W. and Witt, H. W. H.: Some consequences of coulomb friction in modeling longitudinal traction, Jan.–Mar., 13
Koseki, S.: *see* Ogawa, H., Furuya, S., Koseki, H., Iida, H., Sato, K., and Yamagishi, K.

L

Loss compliance
Effect of material properties on tire performance characteristics —Part II, tread material (Futamura), Jan.–Mar., 2
Loss modulus
Effect of material properties on tire performance characteristics —Part II, tread material (Futamura), Jan.–Mar., 2
Viscoelastic properties of aircraft tire materials (Tielking, Hanson, and Giacomin), Oct.–Dec., 262

M

Mallory tube
  Elastic-quasi-dynamic solution of the Mallory tube test (Assaad), Apr.–Jun., 116
Material properties
  Nonlinear cord-rubber composites (Clark and Dodge), Jul.–Sep., 191
Morimura, H.: *see* Sakata, T., Morimura, H., and Ide, H.

N

Nihei, S.: *see* Akasaka, T., Katoh, M., Nihei, S., and Hiraiwa, M.
Nonlinear laminates
  Nonlinear cord-rubber composites (Clark and Dodge), Jul.–Sep., 191
Nonlinear viscoelasticity
  Viscoelastic properties of aircraft tire materials (Tielking, Hanson, and Giacomin), Oct.–Dec., 262

O

Ogawa, H., Furuya, S., Koseki, H., Iida, H., Sato, K., and Yamagishi, K.: A study on the contour of the truck and bus radial tire, Oct.–Dec., 236

P

Pavement texture
  A fundamental study on sliding friction (Purushothaman and Tielking), Apr.–Jun., 104
Ply steer
  Tire/vehicle pull: an introduction emphasizing ply steer effects (Pottinger), Jul.–Sep., 170
Pottinger, M.: Tire/vehicle pull: an introduction emphasizing ply steer effects, Jul.–Sep., 170
Pull force
  Tire/vehicle pull: an introduction emphasizing ply steer effects (Pottinger), Jul.–Sep., 170
Purushothaman, N. and Tielking, J. T.: A fundamental study on sliding friction, Apr.–Jun., 104

Q

Qu, W.: *see* Du, X., Qu, W., and Gu, Z.
Quasi-yield
  Study of the quasi-yield phenomenon in cord-reinforced rubber under off-axis tension (Du, Qu, and Gu), Oct.–Dec., 282

R

Radial tire
  Two-dimensional contact pressure distribution of a radial tire (Akasaka, Katoh, Nihei, and Hiraiwa), Apr.–Jun., 80
Radiography
  Study of the quasi-yield phenomenon in cord-reinforced rubber under off-axis tension (Du, Qu, and Gu), Oct.–Dec., 282
Rear-wheel-drive vehicle
  Study on cornering properties of tire and vehicle (Sakai), Jul.–Sep., 136
Residual aligning torque
  Tire/vehicle pull: an introduction emphasizing ply steer effects (Pottinger), Jul.–Sep., 170

Road noise
Effects of tire cavity resonance on vehicle road noise (Sakata, Morimura, and Ide), Apr.–Jun., 68
Rolling resistance
Effect of material properties on tire performance characteristics —Part II, tread material (Futamura), Jan.–Mar., 2
Rubber
A laboratory facility for the study of rubber traction and wear resistance (Bandel and Di Bernardo), Jul.–Sep., 201

S

Sakai, H.: Study on cornering properties of tire and vehicle, Jul.–Sep., 136
Sakata, T., Morimura, H., and Ide, H.: Effects of tire cavity resonance on vehicle road noise, Apr.–Jun., 68
Sato, K.: *see* Ogawa, H., Furuya, S., Koseki, H., Iida, H., Sato, K., and Yamagishi, K.
Shear strain
Towards predicting relative belt edge endurance with the finite element method (De Eskinazi, Ishihara, Volk, Warholic), Oct.–Dec., 216
Sliding friction
A fundamental study on sliding friction (Purushothaman and Tielking), Apr.–Jun., 104
Slip
A laboratory facility for the study of rubber traction and wear resistance (Bandel and Di Bernardo), Jul.–Sep., 201
Spring-bedded ring model
Two-dimensional contact pressure distribution of a radial tire (Akasaka, Katoh, Nihei, and Hiraiwa), Apr.–Jun., 80
Stability factor
Study on cornering properties of tire and vehicle (Sakai), Jul.–Sep., 136
Strain energy
Towards predicting relative belt edge endurance with the finite element method (De Eskinazi, Ishihara, Volk, Warholic), Oct.–Dec., 216

T

Tan delta
Effect of material properties on tire performance characteristics —Part II, tread material (Futamura), Jan.–Mar., 2
TCOT
A study on the contour of the truck and bus radial tire (Ogawa, Furuya, Koseki, Iida, Sato, and Yamagishi), Oct.–Dec., 236
Temperature effects
Viscoelastic properties of aircraft tire materials (Tielking, Hanson, and Giacomin), Oct.–Dec., 262
Tension control
A study on the contour of the truck and bus radial tire (Ogawa, Furuya, Koseki, Iida, Sato, and Yamagishi), Oct.–Dec., 236
Tielking, J. T.: *see* Purushothaman, N. and Tielking, J. T.

Tielking, J. T., Hanson, R. R., and Giacomin A. J.: Viscoelastic properties of aircraft tire materials, Oct.–Dec., 262
Tire cavity resonance
Effects of tire cavity resonance on vehicle road noise (Sakata, Morimura, and Ide), Apr.–Jun., 68
Tire models
Some consequences of coulomb friction in modeling longitudinal traction (Klingbeil and Witt), Jan.–Mar., 13
Tire treads
Effect of material properties on tire performance characteristics —Part II, tread material (Futamura), Jan.–Mar., 2
Torque steer
Tire/vehicle pull: an introduction emphasizing ply steer effects (Pottinger), Jul.–Sep., 170
Traction
Effect of material properties on tire performance characteristics —Part II, tread material (Futamura), Jan.–Mar., 2
Some consequences of coulomb friction in modeling longitudinal traction (Klingbeil and Witt), Jan.–Mar., 13
Tread rubber
A fundamental study on sliding friction (Purushothaman and Tielking), Apr.–Jun., 104
Trim
Tire/vehicle pull: an introduction emphasizing ply steer effects (Pottinger), Jul.–Sep., 170
Truck tire
A study on the contour of the truck and bus radial tire (Ogawa, Furuya, Koseki, Iida, Sato, and Yamagishi), Oct.–Dec., 236

V

Volk, H.: *see* De Eskinazi, J., Ishihara, K., Volk, H., and Warholic, T. C.

W

Warholic, T. C.: *see* De Eskinazi, J., Ishihara, K., Volk, H., and Warholic, T. C.
Witt, H. W. H.: *see* Klingbeil, W. W. and Witt, H. W. H.

Y

Yamagishi. K.: *see* Ogawa, H., Furuya, S., Koseki, H., Iida, H., Sato, K., and Yamagishi, K.